

Catálogo de Produtos 2009




General Roller



Rolos e Roletes



General
Roller



CARGA

IMPACTO





CORREIAS EM MILIMETRO	Ød	ØD1	ØD A1	ØD2	L	L1+0,2	L2	n	S-0,2	
ROLETE DUPLO	400	15	75	-	-	250	258	276	9	12
		100	100	63						
	500	15	75	-	-	315	323	341	9	12
		100	100	63						

ROLETE TRIPLO	600	15	75	-	-	235	243	261	9	12			
			100	100	63					14			
	650	15	75	-	-	250	258	276	9	12			
			100	100	63					14			
			127	127									
	800	15	75	-	-	315	323	341	9	12			
			100	100	63					14			
			127	127									
	1000	20	100	100	63	380	388	406	9	12			
			127	127	75			14					
			152	152	100								
	1200	20	100	100	63	465	473	491	9	14			
			127	127	75					18			
		25	152	152	100			497	12	22			
			165	165									
	1400	20	100	100	63	530	538	556	9	14			
			127	127	75					18			
		25	152	152	100			562	12	22			
			165	165						32			
		1600	20	100	100			63	600	608	626	9	14
				127	127			75					18
	25		152	152	100	632	12	22					
			165	165				32					
	30	152	152	100	632	12	22						
165		165	32										
40	165	165	100	632	12	22							
	178	178				32							

CORREIAS EM MILIMETRO		Ød	ØD1	ØD A1	ØD2	L	L1+0,2	L2	n	s-0,2		
ROLETE TRIPLO	1800	20	100	100	63	670	678	696	9	14		
			127	127								
		25	127	127	75					100	22	
			152	152								
		30	152	152	165						127	32
			165	165								
	40	165	165	178	-	42						
		178	178									
	50	178	-	194		-	18					
		194	194									
	2000	25	127	127			75	750	758	782	12	22
			152	152								
		30	152	152	165		100					32
			165	165								
		40	165	165	178	-						42
			178	178								
	50	178	-	194	-			22				
		194	194									
	2200	30	152	152			100	800	808	832	12	32
			165	165								
		40	165	165		178	-					42
			178	178								
	50	178	-	194	-	32						
		194	194									
	2400	40	165	165		100	900	908	932	12	42	
			178	178								
		50	178	-	194	-					42	
			194	194								
2600	50	178	-	-	950		958	982	12	42		
		194	194									
	60	194	-	204		-				52		
		204	204									
2800	50	178	-	-	1050		1058	1082	12	42		
		194	194									
	60	194	-	204		-				52		
		204	204									
3000	50	178	-	-	1120		1128	1152	12	42		
		194	194									
	60	194	-	204		-				52		
		204	204									

OBS:


OS FREZADOS DAS PONTAS DOS EIXOS PODEM SER ABERTOS OU FECHADOS OU COM ADAPTADORES.



Cavaletes



General
Roller

CAVALETE TRIPLO DE CARGA E IMPACTO


SÉRIE	CORREIA	A	B	C	D	S+0,5
20ABNT	600mm	890	840	245	135	14
	650mm	940	890	260		
	800mm	1140	1090	325	145	
	1000mm	1340	1290	390	155	
	1200mm	1590	1540	475		

SÉRIE	CORREIA	A	B	C	D	S+0,5
200ABNT	600mm	890	840	245	135	14
	650mm	940	890	260		
	800mm	1140	1090	325	145	
	1000mm	1340	1290	390	155	
	1200mm	1590	1540	475	155	

SÉRIE	CORREIA	A	B	C	D	S+0,5
250ABNT	1000mm	1354	1090	390	177,5	18
	1200mm	1604	1290	475	192,5	
	1400mm	1804	1740	540		
	1600mm	2064	2000	610		
	1800mm	2264	2200	680		

SÉRIE	CORREIA	A	B	C	D	S+0,5
300ABNT	1200mm	1616	1540	475	200	22
	1400mm	1816	1740	540		
	1600mm	2076	2000	610	220	
	1800mm	2276	2200	680		
	2000mm	2476	2400	760		

SÉRIE	CORREIA	A	B	C	D	S+0,5
400ABNT	1400mm	1816	1740	540	220	32
	1600mm	2076	2000	610		
	1800mm	2276	2200	680	255	
	2000mm	2476	2400	760		
	2200mm	2776	2700	810		

OBS:

 ÂNGULO $a^\circ = 20^\circ, 35^\circ, 45^\circ$

OUTRAS DIMENSÕES SOB CONSULTA

General Roller

PABX: +55 11 2438-7884

Endereço: Rua São Vicente Ferrer, 55

Guarulhos - SP - Brasil

www.generalroller.com.br