

Catálogo de Produtos




General Roller



Rolos e Roletes



General
Roller



CARGA

IMPACTO





CORREIAS EM MILIMETRO	Ød	ØD1	ØD A1	ØD2	L	L1+0,2	L2	n	S-0,2	
ROLETE DUPLO	400	15	75	-	-	250	258	276	9	12
		15	100	100	63					
	500	15	75	-	-	315	323	341	9	12
		15	100	100	63					

ROLETE TRIPLO	600	15	75	-	-	235	243	261	9	12
			100	100	63					14
	650	15	75	-	-	250	258	276	9	12
			100	100	63					14
			127	127						
	800	15	75	-	-	315	323	341	9	12
			100	100	63					14
			127	127						
	1000	20	100	100	63	380	388	406	9	12
			127	127	75			14		
			152	152	100			12		14
	1200	20	100	100	63	465	473	491	9	14
			127	127	75					18
		25	152	152	100			497	12	22
			165	165						
	1400	20	100	100	63	530	538	556	9	14
			127	127	75					18
		25	152	152	100			562	12	22
			165	165						32
		30	165	165						
			178	178						
	1600	20	100	100	63	600	608	626	9	14
			127	127	75					18
		25	152	152	100			632	12	22
165			165	32						
30		165	165							
		178	178							

CORREIAS EM MILIMETRO		Ød	ØD1	ØD A1	ØD2	L	L1+0,2	L2	n	s-0,2		
ROLETE TRIPLO	1800	20	100	100	63	670	678	696	9	14		
			127	127								
		25	127	127	75					100	22	
			152	152								
		30	152	152	165						127	32
			165	165								
	40	165	165	178	-	42						
		178	178									
	50	178	-	194		-	18					
		194	194									
	2000	25	127	127			75	750	758	782	12	22
			152	152								
		30	152	152	165		100					32
			165	165								
		40	165	165	178	-						42
			178	178								
	50	178	-	194	-			22				
		194	194									
	2200	30	152	152			100	800	808	832	12	32
			165	165								
		40	165	165		178	-					42
			178	178								
	50	178	-	194	-	32						
		194	194									
	2400	40	165	165		100	900	908	932	12	42	
			178	178								
		50	178	-	194	-					42	
			194	194								
2600	50	178	-	-	950		958	982	12	52		
		194	194									
	60	194	-	204		-				42		
		204	204									
2800	50	178	-	-	1050		1058	1082	12	52		
		194	194									
	60	194	-	204		-				42		
		204	204									
3000	50	178	-	-	1120		1128	1152	12	52		
		194	194									
	60	194	-	204		-				42		
		204	204									

OBS:


OS FREZADOS DAS PONTAS DOS EIXOS PODEM SER ABERTOS OU FECHADOS OU COM ADAPTADORES.



Cavaletes



General
Roller

CAVALETE TRIPLO DE CARGA E IMPACTO


SÉRIE	CORREIA	A	B	C	D	S+0,5
20ABNT	600mm	890	840	245	135	14
	650mm	940	890	260		
	800mm	1140	1090	325	145	
	1000mm	1340	1290	390	155	
	1200mm	1590	1540	475		

SÉRIE	CORREIA	A	B	C	D	S+0,5
200ABNT	600mm	890	840	245	135	14
	650mm	940	890	260		
	800mm	1140	1090	325	145	
	1000mm	1340	1290	390	155	
	1200mm	1590	1540	475	155	

SÉRIE	CORREIA	A	B	C	D	S+0,5
250ABNT	1000mm	1354	1090	390	177,5	18
	1200mm	1604	1290	475	192,5	
	1400mm	1804	1740	540		
	1600mm	2064	2000	610		
	1800mm	2264	2200	680		

SÉRIE	CORREIA	A	B	C	D	S+0,5
300ABNT	1200mm	1616	1540	475	200	22
	1400mm	1816	1740	540		
	1600mm	2076	2000	610	220	
	1800mm	2276	2200	680		
	2000mm	2476	2400	760		

SÉRIE	CORREIA	A	B	C	D	S+0,5
400ABNT	1400mm	1816	1740	540	220	32
	1600mm	2076	2000	610		
	1800mm	2276	2200	680	255	
	2000mm	2476	2400	760		
	2200mm	2776	2700	810		

OBS:

 ÂNGULO $\alpha^\circ = 20^\circ, 35^\circ, 45^\circ$

OUTRAS DIMENSÕES SOB CONSULTA

General Roller

PABX: +55 11 2438-7884

Endereço: Rua São Vicente Ferrer, 55

Guarulhos - SP - Brasil

www.generalroller.com.br